APPLICATION FOR PERMIT TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF NEVADA

Date of filing in State Engineer's Office	OCT 07 1996
Returned to applicant for correction	
Corrected application filed	
Map filed	NOV 17 1978 under 36169
****	***
The applicant United States Air Force , hereby make S application for permission to appropriate the public waters of the State of Nevada, as hereinafter stated	
*****	***
1. The source of the proposed appropriation	n is Underground
2. The amount of water applied for is 0.5 CFS 240 Gal/Min second-feet	
(a) If stored in reservoir give numb	er of acre-feet
3. The water to be used for Quasi-Munic	ipal
4. If use is for:	$(\mathcal{A}_{\mathcal{A}}}}}}}}}}$
(a) Irrigation, state number of acre	s to be irrigated
(b) Stockwater, state number and kinds of animals to be watered	
(c) Other use (describe fully under	Nő. 12. "Remarks") Quasi-Municipal
(d) Power: (1) Horsepower developed	
(2) Point of return of water t	o stream
5. The water is to be diverted from its source at the following point a point in the NW% of the SE% of Sec. 22, T2S, R49E, MDB&M. From which the SE corner of Sec 33, T2S, R49E, bears S12°40'30" W, a distance of 12,854.2 feet 6. Place of Use NE% and the NE% of the SE% of Sec. 28 and the SW% of the NW% of Section 27, all in T2S, R49E MDB&M	
7. Use will begin about Jan 1 and end about	out Dec 31 , of each year.
8. Description of proposed works Well (facilities	to storage tank thru piping to
9. Estimated cost of works \$200,000	
10. Estimated time required to construct w	orks existing well
11. Estimated time required to complete the 1 year	application of water to beneficial use
12. Remarks: Well is used in support of operation and maintenance complex, offices, vehicle maintenance, fuel service various maintenance shops and fire protection	
By s/Larry W. Koch Agent Larry W. Koch c/o Bechtel Nevada PO Box 98521 Las Vegas, NV. 89193-8521	
Compared cms/bk dl/cms	

APPROVAL OF STATE ENGINEER

This is to certify that I have examined the foregoing application, and do hereby grant the same, subject to the following limitations and conditions:

This permit is issued subject to all existing rights on the source. It is understood that the amount of water herein granted is only a temporary allowance and that the final water right obtained under this permit will be dependent upon the amount of water actually placed to beneficial use. It is also understood that this right must allow for a reasonable lowering of the static water level at permittee's well due to other ground water development in the area. A measuring device must be installed and measurements of water use kept. The well shall be equipped with a 2-inch opening for measuring depth to water. If the well is flowing, a valve must be installed and maintained to prevent waste. The State retains the right to regulate the use of the water granted herein at any and all times.

This permit does not extend the permittee the right of ingress

and egress on public, private or corporate lands.

The issuance of this permit does not waive the requirements that the permit holder obtain other permits from State, Federal and local agencies.

The amount of water to be appropriated shall be limited to the amount which can be applied to beneficial use, and not to exceed 0.5 cubic feet per second, but not to exceed 361.98 acre-feet annually.

Work must be prosecuted with reasonable diligence and be completed on or before:

<u>June 18, 1999</u>

Proof of completion of work shall be filed before: July 18, 1999

Application of water to beneficial use shall be filed on or before: June 18, 2000

Proof of the application of water to beneficial use shall be filed on or before: July 18, 2000

Map in support of proof of beneficial use shall be filed on or before:

this

IN TESTIMONY WHEREOF, I, R. MICHAEL TURNIPSEED, P.E.,

State Engineer of Nevada, have hereunto set

June, A.D. 1998

my hand and the seal of my office,

18th day of

Mate Enginèer Completion of work filed AUG 02 1999 Proof of beneficial use filed ____ Cultural map filed _____ Certificate No. _____ Issued